



List of Significant Intersections - RW and South Wall Zones

Drill Hole	From (meters)	To (meters)	Intercept (meters)	Cu %	Zn %	Pb %	Ag (g/t)	Au (g/t)	Zone
<b>CMR06-01</b>	<b>103.1</b>	<b>108.2</b>	<b>5.12</b>	<b>0.25</b>	<b>11.18</b>	<b>0.14</b>	<b>47.6</b>	<b>0.14</b>	<b>RW Zone</b>
CMR06-02	103.1	103.9	0.79	0.04	19.5	0.01	4.7	0.02	RW Zone
CMR06-02	161.1	177.7	16.61	0.03	1.2	0	0.5	0.01	low grade stringers
CMR06-03					<i>No significant intersection</i>				
CMR07-06					<i>No significant intersection</i>				
<b>CMR07-07</b>	<b>151.6</b>	<b>165.5</b>	<b>13.99</b>	<b>4.09</b>	<b>7.35</b>	<b>0.22</b>	<b>50.9</b>	<b>0.4</b>	<b>RW Zone</b>
<i>Includes</i>	<b>158.2</b>	<b>165.1</b>	<b>6.95</b>	<b>6.83</b>	<b>5.41</b>	<b>0.21</b>	<b>81.3</b>	<b>0.62</b>	<b>RW Zone</b>
CMR07-08	154.2	179.2	24.99	0.12	0.55	0.63	48.5	0.45	RW Zone (Oxide)
<i>Includes</i>	154.2	157.9	3.66	0.19	1.8	2.15	137.3	1.14	RW Zone (Oxide)
<b>CMR07-09</b>	<b>153.0</b>	<b>177.3</b>	<b>24.23*</b>	<b>1.21</b>	<b>7.15</b>	<b>0.45</b>	<b>55.4</b>	<b>0.78</b>	<b>SW Zone I</b>
<i>Includes</i>	153.0	171.0	17.95	1.12	8.04	0.56	66.7	0.95	SW Zone I
<b>CMR07-09</b>	<b>239.9</b>	<b>243.3</b>	<b>3.41*</b>	<b>0.16</b>	<b>10.98</b>	<b>0.03</b>	<b>18.2</b>	<b>0.08</b>	<b>SW Zone II</b>
CMR07-10					<i>No significant intersection</i>				
<b>CMR08-11</b>	<b>156.9</b>	<b>203.7</b>	<b>46.85*</b>	<b>1.47</b>	<b>5.5</b>	<b>0.39</b>	<b>25.5</b>	<b>0.44</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>157.3</b>	<b>193.6</b>	<b>36.27</b>	<b>1.7</b>	<b>5.74</b>	<b>0.47</b>	<b>30.4</b>	<b>0.53</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>161.2</b>	<b>187.7</b>	<b>26.5</b>	<b>1.94</b>	<b>6.75</b>	<b>0.59</b>	<b>37.2</b>	<b>0.66</b>	<b>SW Zone I</b>
<i>includes</i>	<b>174.9</b>	<b>183.8</b>	<b>8.9</b>	<b>4.32</b>	<b>5.21</b>	<b>0.04</b>	<b>36.9</b>	<b>0.85</b>	<b>SW Zone I</b>
<b>CMR08-11</b>	<b>278.9</b>	<b>302.1</b>	<b>23.2</b>	<b>1.34</b>	<b>7.43</b>	<b>0.35</b>	<b>91.3</b>	<b>0.7</b>	<b>SW Zone II</b>
<i>Includes</i>	278.9	297.0	18.11*	1.61	8.55	0.39	106.3	0.84	SW Zone II
<i>Includes</i>	288.3	296.5	8.11	1.63	7.38	0.56	163	1.37	SW Zone II
<i>Includes</i>	<b>294.0</b>	<b>296.5</b>	<b>2.5</b>	<b>2.03</b>	<b>7.27</b>	<b>0.41</b>	<b>369.3</b>	<b>3.52</b>	<b>SW Zone II</b>
CMR08-11	351.5	364.1	12.59*	0.49	6.77	0.15	25.8	0.3	SW Zone III
<i>Includes</i>	351.5	359.0	7.5	0.46	8.19	0.3	30.6	0.24	SW Zone III
CMR08-12					<i>Abandoned</i>				
<b>CMR08-13</b>	<b>173.4</b>	<b>184.7</b>	<b>11.28*</b>	<b>3.14</b>	<b>0.58</b>	<b>0.01</b>	<b>24.7</b>	<b>0.15</b>	<b>SW Zone I(a)</b>
<i>Includes</i>	<b>177.2</b>	<b>183.8</b>	<b>6.64</b>	<b>4.12</b>	<b>0.69</b>	<b>0.01</b>	<b>34.1</b>	<b>0.2</b>	<b>SW Zone I(a)</b>
CMR08-13	208.9	239.2	30.33*	0.98	1	0.02	6.1	0.16	SW Zone I(b)
<i>Includes</i>	208.9	220.7	11.83	1.42	0.74	0.01	7.1	0.23	SW Zone I(b)
<b>CMR08-14</b>	<b>176.8</b>	<b>223.2</b>	<b>46.39*</b>	<b>2.92</b>	<b>2.98</b>	<b>0.01</b>	<b>17.5</b>	<b>0.2</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>184.5</b>	<b>223.2</b>	<b>38.65</b>	<b>3.25</b>	<b>3.22</b>	<b>0.01</b>	<b>19.6</b>	<b>0.23</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>186.7</b>	<b>201.9</b>	<b>15.21</b>	<b>5.22</b>	<b>1.75</b>	<b>0.01</b>	<b>21.1</b>	<b>0.3</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>193.3</b>	<b>201.9</b>	<b>8.53</b>	<b>6.52</b>	<b>0.61</b>	<b>0.01</b>	<b>26.4</b>	<b>0.37</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>217.6</b>	<b>223.2</b>	<b>5.58</b>	<b>1.76</b>	<b>14.36</b>	<b>0.01</b>	<b>40.2</b>	<b>0.21</b>	<b>SW Zone I</b>
CMR08-14	418.2	442.9	24.69*	0.28	1.91	0.31	31.5	0.2	SW Zone II
CMR08-15					<i>No significant intersection</i>				
CMR08-16	130.2	136.3	6.1	0.05	1.1	0	0.3	0.03	low grade stringers
CMR08-16	213.1	217.6	4.57	0.33	0.37	0	1.2	0.03	SW Zone I
CMR08-17	144.5	146.3	1.83	0.3	10.13	1.39	45.5	0.19	RW Zone (Oxide)
<b>CMR08-17</b>	<b>322.8</b>	<b>350.3</b>	<b>27.52*</b>	<b>2.6</b>	<b>3.57</b>	<b>0.17</b>	<b>28.2</b>	<b>0.35</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>325.1</b>	<b>345.0</b>	<b>19.9</b>	<b>3.24</b>	<b>0.76</b>	<b>0.01</b>	<b>20.1</b>	<b>0.33</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>325.1</b>	<b>329.6</b>	<b>4.51</b>	<b>4.62</b>	<b>0.76</b>	<b>0.01</b>	<b>14.7</b>	<b>0.27</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>345.0</b>	<b>350.3</b>	<b>5.27</b>	<b>0.84</b>	<b>13.64</b>	<b>0.75</b>	<b>63.8</b>	<b>0.51</b>	<b>SW Zone I</b>
<b>CMR08-17</b>	<b>497.8</b>	<b>502.6</b>	<b>4.82*</b>	<b>0.85</b>	<b>21.62</b>	<b>0.39</b>	<b>19.3</b>	<b>0.04</b>	<b>SW Zone II</b>
CMR08-17	534.3	538.0	3.72*	0.2	3.85	0.14	21.9	0.22	SW Zone III
CMR08-18	220.4	221.9	1.52*	1.73	2.6	0.13	40.2	0.32	SW Zone III
<b>CMR08-18</b>	<b>256.2</b>	<b>259.5</b>	<b>3.32*</b>	<b>2.83</b>	<b>4.66</b>	<b>0.03</b>	<b>23.6</b>	<b>0.43</b>	<b>SW Zone II(a)</b>
CMR08-18	279.0	283.2	4.15*	0.97	3.87	0.15	10.3	0.1	SW Zone II(b)
<i>Includes</i>	279.0	281.4	2.41	0.74	6.61	0.26	9.7	0.11	SW Zone II
<b>CMR08-19</b>	<b>200.1</b>	<b>238.7</b>	<b>38.53*</b>	<b>0.69</b>	<b>7.25</b>	<b>0.18</b>	<b>25.6</b>	<b>0.22</b>	<b>SW Zone II</b>
<i>Includes</i>	200.1	215.4	15.27	1.13	8.66	0.08	32.4	0.26	SW Zone II
CMR08-20					<i>Abandoned</i>				
CMR08-21	176.3	185.8	9.48*	0.34	2.68	0.16	38.9	0.1	SW Zone III
<i>Includes</i>	184.3	185.8	1.49	0.83	4.69	0.24	131.6	0.36	SW Zone III
CMR08-21	217.8	224.1	6.28	0.3	2.85	0.01	3.6	0.04	SW Zone II
<i>Includes</i>	220.4	224.1	3.75	0.45	3.89	0.01	4	0.04	SW Zone II
<b>CMR08-22</b>	<b>234.7</b>	<b>264.7</b>	<b>30.02*</b>	<b>1.97</b>	<b>5.83</b>	<b>0.2</b>	<b>37.8</b>	<b>0.25</b>	<b>SW Zone II</b>
<i>Includes</i>	234.7	238.4	3.66	1.82	9.81	0.92	81.5	0.32	SW Zone II
<i>Includes</i>	<b>246.0</b>	<b>253.3</b>	<b>7.32</b>	<b>2.94</b>	<b>6.96</b>	<b>0.21</b>	<b>62.8</b>	<b>0.38</b>	<b>SW Zone II</b>

List of Significant Intersections - RW and South Wall Zones

Drill Hole	From (meters)	To (meters)	Intercept (meters)	Cu %	Zn %	Pb %	Ag (g/t)	Au (g/t)	Zone
<i>Includes</i>	<b>258.0</b>	<b>264.7</b>	<b>6.68</b>	<b>3.43</b>	<b>8.92</b>	<b>0.03</b>	<b>33.9</b>	<b>0.34</b>	<b>SW Zone II</b>
<b>CMR09-23</b>	<b>352.7</b>	<b>374.0</b>	<b>21.34*</b>	<b>2.76</b>	<b>0.5</b>	<b>0</b>	<b>9.7</b>	<b>0.1</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>354.6</b>	<b>365.8</b>	<b>11.13</b>	<b>3.86</b>	<b>0.5</b>	<b>0</b>	<b>10.8</b>	<b>0.12</b>	<b>SW Zone I</b>
CMR09-24	142.3	151.5	9.14	0.23	2.83	0.59	52.5	0.57	RW Zone (Oxide)
<i>Includes</i>	143.4	148.4	5.03	0.22	1.53	0.95	84.9	0.92	RW Zone (Oxide)
CMR09-24	318.1	336.8	18.68	1.16	4.15	0.1	30.7	0.3	SW Zone I
<i>Includes</i>	318.1	327.2	9.05*	1.89	5.16	0.02	27.4	0.3	SW Zone I
CMR09-25	149.0	155.0	5.97	0.1	1.47	<0.01	0.5	0.01	secondary Cu-Zn
CMR09-25	336.5	353.3	16.82*	0.11	1.41	0.03	13.3	0.16	SW Zone I
<i>Includes</i>	348.1	353.3	5.24	0.06	0.78	0.04	25.5	0.31	SW Zone I
CMR09-26	277.1	277.8	0.73	0.05	1.19	0.46	40.3	0.08	SW Zone III
CMR09-26	320.7	326.8	6.1	1.52	9.17	0.02	18	0.18	SW Zone II
<i>Includes</i>	<b>321.6</b>	<b>325.6</b>	<b>3.99</b>	<b>2.09</b>	<b>9.19</b>	<b>0.02</b>	<b>22</b>	<b>0.22</b>	<b>SW Zone II</b>
<i>Includes</i>	<b>322.9</b>	<b>325.6</b>	<b>2.68</b>	<b>3.17</b>	<b>8.06</b>	<b>0.02</b>	<b>29.4</b>	<b>0.3</b>	<b>SW Zone II</b>
CMR09-27									<i>No significant intersection</i>
<b>CMR09-28</b>	<b>350.2</b>	<b>352.4</b>	<b>2.29</b>	<b>3.55</b>	<b>4.69</b>	<b>0.05</b>	<b>80.1</b>	<b>0.28</b>	<b>SW Zone III</b>
<i>Includes</i>	351.0	352.0	1.07	6.12	5.81	0.03	123.9	0.48	SW Zone III
CMR09-29	19.8	24.8	5.03	0.22	1.82	<0.01	0.5	<0.01	secondary Cu-Zn
CMR09-29	191.7	209.3	17.62	0.02	0.55	0.04	1.7	0.02	Zn-stringers
CMR09-30	89.6	102.1	12.5	0.13	0.52	0.94	74.5	0.39	RW Zone (Oxide)
<i>Includes</i>	90.5	97.5	7.01	0.2	0.42	1.23	104.1	0.57	RW Zone (Oxide)
<i>Includes</i>	92.1	94.5	2.44	0.35	0.64	2.45	178.1	1.03	RW Zone (Oxide)
CMR09-30	150.9	158.7	7.83	0.13	2.65	<0.01	0.6	0.01	secondary Cu-Zn
CMR09-30	172.0	182.0	9.97	0.29	0.34	0.01	2.4	0.04	low grade stringers
CMR09-30	498.4	533.4	35.05	0.02	0.7	0.01	0.5	0.01	low grade stringers
<i>Includes</i>	498.4	502.9	4.57	0.02	2.61	0.01	0.8	0.01	low grade stringers
CMR09-31	359.8	363.2	3.41	0.18	1.98	0.07	8.7	0.01	SW Zone III
CMR09-32	243.9	245.2	1.31	0.06	3.13	0.13	3.2	0.07	SW Zone III
CMR10-33	162.0	164.5	2.45	0.06	4.76	0.08	19.5	0.2	RW Zone (a)
<i>Includes</i>	162.0	163.8	1.8	0.08	5.95	0.06	21.2	0.2	RW Zone (a)
CMR10-33	190.1	196.6	6.54	0.48	0.28	0.05	8.1	0.08	stringers
CMR10-33	210.9	244.3	33.4	0.02	0.63	0.02	0.8	0.03	stringers
<i>Includes</i>	240.4	243.3	2.95	0.04	3.46	0	0.9	0.01	stringers
CMR10-34B	300.5	310.9	10.4	0.3	4.18	0.42	81.6	0.87	SW Zone I
CMR10-35	113.3	113.4	0.15	0.01	14.15	1.84	272	0.12	RW Zone
<b>CMR10-35</b>	<b>137.7</b>	<b>144.8</b>	<b>7.1</b>	<b>2.1</b>	<b>1.52</b>	<b>0.01</b>	<b>16.8</b>	<b>0.18</b>	<b>RW Zone</b>
<i>Includes</i>	<b>140.7</b>	<b>144.8</b>	<b>4.15</b>	<b>3.13</b>	<b>0.62</b>	<b>0</b>	<b>23.9</b>	<b>0.23</b>	<b>RW Zone</b>
CMR10-35	144.8	172.8	28	0.13	0.52	0.02	1.5	0.05	stringer
CMR10-36									<i>No significant intersection</i>
CMR10-37	135.0	143.4	8.4	0.39	0.34	<0.01	1.8	0.05	stringer
<i>Includes</i>	135.0	136.9	1.9	0.91	0.27	<0.01	4.1	0.09	stringer
<b>CMR10-38</b>	<b>26.2</b>	<b>53.4</b>	<b>27.2</b>	<b>0.13</b>	<b>0.63</b>	<b>0.96</b>	<b>115.5</b>	<b>0.88</b>	<b>RW Zone (Oxide)</b>
<i>Includes</i>	26.2	29.4	3.2	0.26	3.52	2.28	131.1	1.13	RW Zone (Oxide)
CMR10-38	57.5	126.8	69.3	0.16	1.17	<0.01	1.3	0.02	secondary Cu-Zn
<i>Includes</i>	65.5	100.6	35.1	0.18	1.68	<0.01	0.9	0.01	secondary Cu-Zn
<b>CMR10-38B</b>	<b>26.4</b>	<b>50.2</b>	<b>23.8</b>	<b>0.36</b>	<b>2.94</b>	<b>0.96</b>	<b>123.1</b>	<b>0.82</b>	<b>RW Zone (Oxide)</b>
<i>Includes</i>	26.4	36.6	10.15	0.7	6.51	1.02	89.7	0.39	RW Zone (Oxide)
CMR10-38B	56.4	59.5	3.05	1.6	1.00	0.01	8.4	0.01	secondary Cu-Zn
<i>Includes</i>	56.4	57.9	1.5	2.66	1.29	0.01	3.1	0.01	secondary Cu-Zn
CMR10-39	434.2	448.0	13.8	0.34	1.36	0.01	8.1	0.05	SW Zone III
<i>Includes</i>	434.6	437.1	2.45	1.1	4.52	0	24.8	0.13	SW Zone III
<i>Includes</i>	435.3	435.9	0.65	3.3	9.29	0	75.4	0.4	SW Zone III
<b>CMR10-40</b>	<b>154.9</b>	<b>175.7</b>	<b>20.8</b>	<b>1.03</b>	<b>5.01</b>	<b>0.04</b>	<b>11.3</b>	<b>0.14</b>	<b>SW Zone I</b>
<i>Includes</i>	157.3	169.3	12.05	1.41	6.13	0.02	14.4	0.17	SW Zone I
CMR10-40	420.9	438.3	17.4	0.16	2.25	0.12	1.6	0.02	SW Zone III (stringer)
CMR10-41									<i>No significant intersection</i>
CMR10-42	194.6	211.8	17.2	0.18	1.24	0.01	2.8	0.04	SW Zone I (stringer)

List of Significant Intersections - RW and South Wall Zones

Drill Hole	From (meters)	To (meters)	Intercept (meters)	Cu %	Zn %	Pb %	Ag (g/t)	Au (g/t)	Zone
<b>CMR13-43</b>	<b>213.6</b>	<b>238.8</b>	<b>25.23</b>	<b>1.17</b>	<b>0.43</b>	<b>0</b>	<b>8.5</b>	<b>0.07</b>	<b>SW Zone I</b>
<i>Includes</i>	228.2	238.8	10.63	1.77	0.27	0	13.8	0.15	SW Zone I
CMR13-44	163.2	166.6	3.36	0.51	9.18	0.92	46.2	0.21	RW Zone
<i>Includes</i>	164.4	165.9	1.5	0.82	15.05	1.52	76.2	0.34	RW Zone
<b>CMR13-45</b>	<b>143.1</b>	<b>164.8</b>	<b>21.71</b>	<b>2.36</b>	<b>9.06</b>	<b>0.13</b>	<b>28.8</b>	<b>0.33</b>	<b>SW Zone I</b>
<i>Includes</i>	<b>143.5</b>	<b>155.4</b>	<b>11.88</b>	<b>3.29</b>	<b>10.48</b>	<b>0.12</b>	<b>35.5</b>	<b>0.44</b>	<b>SW Zone I</b>
<b>CMR13-46</b>	<b>208.5</b>	<b>229.1</b>	<b>20.58</b>	<b>0.92</b>	<b>7.18</b>	<b>0.25</b>	<b>45.3</b>	<b>0.32</b>	<b>SW Zone II</b>
<i>Includes</i>	<b>208.5</b>	<b>221.4</b>	<b>12.9</b>	<b>0.83</b>	<b>10.26</b>	<b>0.37</b>	<b>63.3</b>	<b>0.44</b>	<b>SW Zone II</b>
CMR13-47	199.7	204.9	5.13	0.05	2.62	0.11	9	0.08	RW (stringer)
CMR13-48	170.7	178.6	7.91	0.6	0.99	0.01	0.6	0.01	secondary Cu-Zn
<b>CMR13-49</b>	<b>143.1</b>	<b>167.8</b>	<b>24.66</b>	<b>2.02</b>	<b>8.47</b>	<b>0.06</b>	<b>31.7</b>	<b>0.51</b>	<b>SW Zone I</b>
CMR13-49	255.7	262.6	6.86	0.5	3.75	0.06	10.5	0.09	SW Zone II
<i>Includes</i>	260.7	262.6	1.91	0.61	6.13	0.04	13.5	0.11	SW Zone II
CMR13-49	297.0	299.7	2.67	0.01	4.72	0.34	6.9	0.02	SW Zone III
<b>CMR13-50</b>	<b>24.1</b>	<b>61.6</b>	<b>37.49</b>	<b>0.53</b>	<b>2.35</b>	<b>1.21</b>	<b>123.2</b>	<b>0.62</b>	<b>RW Zone (Oxide)</b>
<i>Includes</i>	24.1	37.8	13.72	0.51	4.97	1.61	134.3	0.71	RW Zone (Oxide)
CMR13-51									<i>No significant intersection</i>
CMR13-52									<i>No significant intersection</i>
CMR14-53	514.0	515.0	1	0.36	5.46	0.3	18.5	0.07	SW Zone II
CMR14-53	520.2	522.8	2.6	1.53	1.34	0.01	18	0.1	SW Zone II
<b>CMR14-54</b>	<b>505.8</b>	<b>527.9</b>	<b>22.1</b>	<b>2.48</b>	<b>4.05</b>	<b>0.02</b>	<b>24</b>	<b>0.39</b>	<b>SW Zone II (EM)</b>
<i>Includes</i>	505.8	513.6	7.8	0.76	7.51	0.03	26.4	0.4	SW Zone II (EM)
<i>Includes</i>	<b>513.6</b>	<b>522.5</b>	<b>8.9</b>	<b>3.76</b>	<b>3.23</b>	<b>0.01</b>	<b>27.4</b>	<b>0.42</b>	<b>SW Zone II (EM)</b>
CMR14-55									<i>No significant intersection</i>
CMR14-56									<i>anomalous cuttings @ end of hole (e.g. 84.4 g/t Ag, 0.55% Zn)</i>
CMR14-57									<i>No significant intersection</i>
CMR14-58	697.9	700.8	2.9	0.08	5.62	0.01	2	0.01	footwall stringer
CMR14-58	774.0	774.6	0.6	2.79	0.04	0	13.2	0.18	Stringer
CMR14-59	302.3	317.7	15.4	1.03	2.88	0.03	21	0.16	SW Zone II
<i>Includes</i>	302.3	306.6	4.3	0.62	4.80	0.02	23.8	0.21	SW Zone II
<i>Includes</i>	311.1	317.7	6.6	1.62	2.89	0.04	27.2	0.19	SW Zone II
CMR14-60									<i>No significant intersection</i>
CMR14-61									<i>No significant intersection</i>
CMR14-62	778.4	782.2	3.8	0.05	2.23	0.13	4.1	0.08	stringer
CMR14-63	468.1	486.8	18.7	0.1	1.85	0.1	17.5	0.09	SW EM Zone
<i>Includes</i>	468.1	469.7	1.6	0.21	5.69	0.33	58.4	0.35	SW EM Zone
CMR14-63	499.9	502.0	2.1	0.4	8.22	0.11	33.1	0.65	SW EM Zone
CMR14-64	658.1	675.3	17.2	0.21	3.49	0.02	15.3	0.08	SW EM Zone
<i>Includes</i>	671.2	675.3	4.1	0.55	4.98	0.02	21.1	0.16	SW EM Zone
<b>CMR14-65</b>	<b>413.0</b>	<b>502.0</b>	<b>89</b>	<b>0.79</b>	<b>5.03</b>	<b>0.05</b>	<b>21.1</b>	<b>0.31</b>	<b>SW EM Zone</b>
<i>Includes</i>	413.0	428.4	15.4	0.51	7.92	0.12	51.4	0.32	SW EM Zone
<i>Includes</i>	<b>455.1</b>	<b>492.5</b>	<b>37.4</b>	<b>1.22</b>	<b>5.96</b>	<b>0.02</b>	<b>20.3</b>	<b>0.51</b>	<b>SW EM Zone</b>
<i>Includes</i>	<b>455.1</b>	<b>481.7</b>	<b>26.6</b>	<b>1.03</b>	<b>7.84</b>	<b>0.02</b>	<b>21.1</b>	<b>0.51</b>	<b>SW EM Zone</b>
<i>Includes</i>	<b>474.3</b>	<b>481.7</b>	<b>7.4</b>	<b>2.05</b>	<b>10.23</b>	<b>0.02</b>	<b>34.3</b>	<b>1.13</b>	<b>SW EM Zone</b>
CMR14-66	624.8	628.8	4	0.07	4.27	0.18	11.8	0.08	SW EM Zone
CMR14-66	643.6	654.9	11.3	0.3	3.95	0.28	27.2	0.23	SW EM Zone
<i>Includes</i>	643.6	645.1	1.5	0.21	7.01	1.45	128.4	0.87	SW EM Zone
<i>Includes</i>	648.8	651.2	2.4	0.19	6.45	0.04	5.8	0.12	SW EM Zone
<i>Includes</i>	653.6	654.9	1.3	0.89	7.71	0.01	12.8	0.23	SW EM Zone
CMR14-67	121.0	136.3	15.3	0.13	3.12	0.24	30.7	0.14	RW Zone
<i>Includes</i>	122.0	125.9	3.9	0.19	5.11	0.63	92.5	0.37	RW Zone
CMR14-68									<i>No significant intersection</i>
CMR15-69	657	664.2	7.2	0.43	0.46	0.01	3.5	0.04	SW Lower Offset
CMR15-70	729.7	737.6	7.9	0.1	0.78	0.01	2.2	0.05	Fault/Footwall Stringer
<i>Includes</i>	729.7	731.6	1.9	0.11	1.92	0.02	3.9	0.08	Fault/Footwall Stringer
CMR15-71									<i>No significant intersection</i>
CMR15-72	380.8	391.3	10.5	0.02	1.56	<0.01	0.7	0.01	SW EM Zone

### List of Significant Intersections - RW and South Wall Zones

Drill Hole	From (meters)	To (meters)	Intercept (meters)	Cu %	Zn %	Pb %	Ag (g/t)	Au (g/t)	Zone
<i>Includes</i>	380.8	385.1	4.3	0.02	2.28	0.01	0.8	0.01	SW EM Zone
CMR15-72	398.7	399.6	0.9	0.01	2.42	0.05	1.2	0.01	Footwall stringer
<b>CMR15-72</b>	<b>419.4</b>	<b>423.6</b>	<b>4.2</b>	<b>0.17</b>	<b>1.09</b>	<b>0.05</b>	<b>4.8</b>	<b>0.06</b>	<b>Footwall stringer</b>
<b>CMR15-73</b>	<b>378.5</b>	<b>386.5</b>	<b>8.0</b>	<b>0.04</b>	<b>1.33</b>	<b>0.07</b>	<b>21.6</b>	<b>0.01</b>	<b>SW EM Zone</b>
CMR15-73	506.6	511.3	4.7	0.09	2.48	<0.01	2.2	0.01	SW EM Zone
<i>Includes</i>	508.5	511.3	2.8	0.09	3.59	<0.01	2.3	0.01	SW EM Zone
CMR15-74					<i>No significant intersection</i>				
CMR15-75	454.6	458.8	4.2	0.5	3.98	0.44	60.4	0.65	SW EM Zone
<b>CMR15-75</b>	<b>483.2</b>	<b>505.5</b>	<b>22.3</b>	<b>0.71</b>	<b>0.39</b>	<b>0.01</b>	<b>6.8</b>	<b>0.11</b>	<b>SW EM Zone</b>
<i>Includes</i>	498	501	3.0	2.32	0.07	0	14.9	0.19	SW EM Zone
CMR15-75	530.8	538	7.2	0.64	0.01	0.02	2.4	0.05	Footwall stringer
CMR15-76					<i>Geotechnical drill hole/No significant intersection</i>				
CMR15-77					<i>No significant intersection</i>				
<b>CMR17-82</b>	<b>248.1</b>	<b>293.5</b>	<b>45.4</b>	<b>2.54</b>	<b>7.44</b>	<b>0.09</b>	<b>39.4</b>	<b>0.33</b>	<b>SW Zone II</b>
<i>Includes</i>	262.5	288.4	25.9	3.61	9.13	0.08	43.4	0.54	SW Zone II
<i>Includes</i>	277.5	288.4	10.9	6.15	13.83	0.09	65.4	0.52	SW Zone II
<i>Includes</i>	282	287.6	5.6	9.95	2.79	0.04	90.8	0.72	SW Zone II
<b>CMR17-84</b>	<b>227.5</b>	<b>246.2</b>	<b>18.7</b>	<b>2.34</b>	<b>6.93</b>	<b>0.18</b>	<b>33.2</b>	<b>0.29</b>	<b>SW Zone II</b>
<i>Includes</i>	233.9	245.5	11.6	3.39	3.42	0.13	26.8	0.31	SW Zone II
<i>Includes</i>	235.1	238.6	3.5	5.08	5.37	0.29	36.4	0.41	SW Zone II
<i>Includes</i>	227.5	235.1	7.6	0.94	12.64	0.28	45	0.3	SW Zone II
CMR17-86	197.1	203.9	6.8	1.64	3.67	<0.01	0.5	0.01	SW Zone II
<b>CMR17-86</b>	<b>208.1</b>	<b>222.35</b>	<b>14.25</b>	<b>0.43</b>	<b>7.58</b>	<b>0.47</b>	<b>44.7</b>	<b>0.34</b>	<b>SW Zone II</b>
<b>CMR17-88<sup>(2)</sup></b>	<b>143.7</b>	<b>156.5</b>	<b>12.8</b>	<b>0.46</b>	<b>12.04</b>	<b>0.43</b>	<b>64</b>	<b>0.69</b>	<b>SW Zone I</b>
<i>Includes</i>	143.7	148.8	5.1	0.39	17.61	0.09	30.8	0.17	SW Zone I
<b>CMR17-88<sup>(2)</sup></b>	<b>173.3</b>	<b>186.7</b>	<b>13.4</b>	<b>1.74</b>	<b>5.4</b>	<b>0.02</b>	<b>11</b>	<b>0.18</b>	<b>SW Zone I</b>
CMR17-88	192.3	199.4	7.1	0.15	1.82	0.02	2.2	0.02	Footwall stringer
<b>CMR17-95</b>	<b>247.3</b>	<b>268.2</b>	<b>20.9</b>	<b>0.11</b>	<b>8.39</b>	<b>0.33</b>	<b>39.8</b>	<b>0.21</b>	<b>SW Zone II</b>
<i>Includes</i>	247.3	251.9	4.6	0.17	16.75	0.68	67	0.23	SW Zone II
<i>Includes</i>	264.2	268.2	4	0.21	15.82	0.17	65.7	0.48	SW Zone II
CMR17-97 <sup>(3)</sup>	261	311.9	50.9	0.87	4.44	0.19	36.9	0.25	SW Zone II
CMR17-97	261	265.3	4.3	1.35	0.87	<0.01	32.6	0.16	SW Zone II
<b>CMR17-97</b>	<b>273.6</b>	<b>288.1</b>	<b>14.5</b>	<b>1.92</b>	<b>7.5</b>	<b>0.32</b>	<b>65.8</b>	<b>0.43</b>	<b>SW Zone II</b>
<i>Includes</i>	278.2	288.1	9.9	2.29	9.32	0.37	79.3	0.47	SW Zone II
<b>CMR17-97</b>	<b>301.8</b>	<b>311.9</b>	<b>10.1</b>	<b>0.47</b>	<b>8.48</b>	<b>0.43</b>	<b>56.5</b>	<b>0.39</b>	<b>SW Zone II</b>
<b>CMR17-100</b>	<b>298.7</b>	<b>306.6</b>	<b>7.9</b>	<b>1.47</b>	<b>5.33</b>	<b>0.02</b>	<b>34.6</b>	<b>0.11</b>	<b>SW Zone II</b>
<i>Includes</i>	299.9	304.6	4.7	1.15	8.79	<0.01	31.2	0.09	SW Zone II

Drill intercepts reported as core lengths are estimated to be 50-100% true width. Bold text denotes intervals at >2 meters at >2% copper and/or 10% zinc OR >20 meters at >1% copper and/or 5% zinc and/or 100 g/t Ag. Averages are length x density weighted using density data obtained for each sample within a given interval (where density data is available). Length x density averages more accurately represent the metal content of a given interval, and is common practice in reporting on massive sulphide deposits because of the wide range of densities they exhibit. The Company has adopted length x density weighting as standard procedure for this project. For QAQC and other sample related procedures please visit the Company's technical report entitled, "Palmer VMS Project, Southeast Alaska, Mineral Resource Estimation and Exploration Update" dated March 4, 2010 and available on www.sedar.com. Darwin Green, VP Exploration for Constantine Metal Resources Ltd. and a qualified person as defined by Canadian National Instrument 43-101 has reviewed and verified the information within this table

<sup>(2)</sup> Part of a continuous 43 meter wide intersection from 143.7m to 186.7m that includes 16.8 meters of lost core (not included in reported assay intersections)

<sup>(3)</sup> The 50.9 meter intersection represents the total width of the mineralized zone, consisting of 3 separate but closely spaced intersections totaling 28.9 meters, separated by intervals up to 9.5 meters of below cut-off grade

### List of Significant Intersections - AG Zone

Drill Hole	From (meters)	To (meters)	Intercept (meters)	Zn %	Pb %	Cu %	Ag (g/t)	Au (g/t)	Zone
CMR17-89	25.1	28.8	3.7	0.27	0.22	0.03	28.8	0.49	AG Zone
<b>CMR17-89</b>	<b>127.9</b>	<b>137.1</b>	<b>9.2</b>	<b>0.19</b>	<b>0.21</b>	<b>0.09</b>	<b>312.6</b>	<b>0.89</b>	AG Zone
CMR17-90	29.5	33.1	3.6	0.1	0.29	0.01	110.9	1.51	AG Zone
<b>Includes</b>	<b>29.5</b>	<b>32.5</b>	<b>3.0</b>	<b>0.12</b>	<b>0.34</b>	<b>0.01</b>	<b>128.2</b>	<b>1.72</b>	AG Zone
CMR17-91							<i>No significant intersection</i>		
<b>CMR17-92</b>	<b>120.5</b>	<b>161.0</b>	<b>40.5</b>	<b>5.81</b>	<b>0.22</b>	<b>0.1</b>	<b>5.7</b>	<b>0.11</b>	AG Zone
<b>CMR17-92</b>	<b>122.3</b>	<b>152.8</b>	<b>30.5</b>	<b>7.25</b>	<b>0.21</b>	<b>0.13</b>	<b>5.7</b>	<b>0.12</b>	AG Zone
<b>Includes</b>	<b>122.3</b>	<b>140.1</b>	<b>17.8</b>	<b>11.35</b>	<b>0.12</b>	<b>0.21</b>	<b>6.1</b>	<b>0.15</b>	AG Zone
<b>Includes</b>	<b>126.5</b>	<b>139.3</b>	<b>12.8</b>	<b>13.06</b>	<b>0.12</b>	<b>0.24</b>	<b>6.7</b>	<b>0.15</b>	AG Zone
CMR17-92	200.8	222.0	21.2	1.85	0.51	0.03	10.3	0.1	AG Zone
<b>Includes</b>	<b>205.0</b>	<b>207.0</b>	<b>2.0</b>	<b>5.06</b>	<b>1.19</b>	<b>0.05</b>	<b>18.2</b>	<b>0.14</b>	AG Zone
CMR17-92	232.6	237.5	4.9	1.93	0.13	0.03	6	0.09	AG Zone
<b>CMR17-92</b>	<b>244.2</b>	<b>250.9</b>	<b>6.7</b>	<b>5.73</b>	<b>2.17</b>	<b>0.1</b>	<b>30</b>	<b>0.2</b>	AG Zone
<b>Includes</b>	<b>244.2</b>	<b>246.2</b>	<b>2.0</b>	<b>12.65</b>	<b>4.35</b>	<b>0.14</b>	<b>47.8</b>	<b>0.24</b>	AG Zone
CMR17-93	16.8	41.4	24.6	0.09	0.03	0.01	47.6	0.58	AG Zone
<b>Includes</b>	<b>16.8</b>	<b>27.8</b>	<b>11.0</b>	<b>0.06</b>	<b>0.03</b>	<b>0.01</b>	<b>70.2</b>	<b>1.05</b>	AG Zone
<b>Includes</b>	<b>16.8</b>	<b>19.1</b>	<b>2.3</b>	<b>0.06</b>	<b>0.03</b>	<b>0.01</b>	<b>98.3</b>	<b>3.24</b>	AG Zone
CMR17-93	221.6	223.6	2.0	2.58	0.18	0.07	4.3	0.02	AG Zone
CMR17-94	35.9	41.1	5.2	0.09	0.11	0.01	34.6	0.56	AG Zone
<b>CMR17-94</b>	<b>89.3</b>	<b>128.2</b>	<b>38.9</b>	<b>0.98</b>	<b>0.32</b>	<b>0.04</b>	<b>184.2</b>	<b>0.4</b>	AG Zone
<b>Includes</b>	<b>93.7</b>	<b>118.3</b>	<b>24.6</b>	<b>1.38</b>	<b>0.46</b>	<b>0.05</b>	<b>260.6</b>	<b>0.53</b>	AG Zone
<b>Includes</b>	<b>93.7</b>	<b>104.0</b>	<b>10.3</b>	<b>2.03</b>	<b>0.69</b>	<b>0.06</b>	<b>460.8</b>	<b>0.9</b>	AG Zone
<b>Includes</b>	<b>93.7</b>	<b>96.4</b>	<b>2.7</b>	<b>4.03</b>	<b>1.86</b>	<b>0.13</b>	<b>1214.4</b>	<b>1.34</b>	AG Zone
<b>CMR17-96</b>	<b>128.8</b>	<b>170.1</b>	<b>41.3</b>	<b>5.79</b>	<b>0.15</b>	<b>0.14</b>	<b>9.2</b>	<b>0.05</b>	AG Zone
<b>CMR17-96</b>	<b>128.8</b>	<b>149.2</b>	<b>20.4</b>	<b>9.88</b>	<b>0.29</b>	<b>0.21</b>	<b>14.4</b>	<b>0.07</b>	AG Zone
<b>Includes</b>	<b>128.8</b>	<b>132.8</b>	<b>4.0</b>	<b>15.41</b>	<b>0.37</b>	<b>0.22</b>	<b>32.9</b>	<b>0.11</b>	AG Zone
<b>CMR17-96</b>	<b>453.0</b>	<b>454.9</b>	<b>1.9</b>	<b>4.75</b>	<b>0.47</b>	<b>0.07</b>	<b>3.7</b>	<b>0.03</b>	AG Zone
CMR17-98	28.9	66.4	37.5	0.42	0.14	0.02	48	0.47	AG Zone
<b>Includes</b>	<b>62.6</b>	<b>66.4</b>	<b>3.8</b>	<b>0.88</b>	<b>0.57</b>	<b>0.03</b>	<b>256.4</b>	<b>1.14</b>	AG Zone
<b>Includes</b>	<b>64.0</b>	<b>66.4</b>	<b>2.4</b>	<b>1.17</b>	<b>0.8</b>	<b>0.04</b>	<b>357.2</b>	<b>1.54</b>	AG Zone
CMR17-99	172.6	233.2	60.6	2.19	0.3	0.05	10.7	0.1	AG Zone
<b>CMR17-99</b>	<b>194.2</b>	<b>208.0</b>	<b>13.8</b>	<b>4.87</b>	<b>0.48</b>	<b>0.09</b>	<b>21.1</b>	<b>0.18</b>	AG Zone
<b>Includes</b>	<b>200.2</b>	<b>208.0</b>	<b>7.8</b>	<b>6.69</b>	<b>0.81</b>	<b>0.11</b>	<b>34.6</b>	<b>0.26</b>	AG Zone
CMR17-101							<i>No significant intersection</i>		
CMR17-102	200.8	206.8	6.0	3.83	0.14	0.07	4.1	0.05	AG Zone
CMR17-102	236.5	281.8	45.3	1.78	0.04	0.06	6.1	0.06	AG Zone
<b>Includes</b>	<b>236.5</b>	<b>239.8</b>	<b>3.3</b>	<b>5.13</b>	<b>0.05</b>	<b>0.21</b>	<b>10.5</b>	<b>0.12</b>	AG Zone
<b>Includes</b>	<b>272.6</b>	<b>279.0</b>	<b>6.4</b>	<b>4.18</b>	<b>0.02</b>	<b>0.1</b>	<b>4.6</b>	<b>0.09</b>	AG Zone
CMR17-102	352.7	379.3	26.6	3.07	0.14	0.03	5.2	0.05	AG Zone
<b>Includes</b>	<b>352.7</b>	<b>356.6</b>	<b>3.9</b>	<b>5.25</b>	<b>0.01</b>	<b>0.01</b>	<b>1.3</b>	<b>0.07</b>	AG Zone
<b>Includes</b>	<b>361.0</b>	<b>370.0</b>	<b>9.0</b>	<b>4.48</b>	<b>0.17</b>	<b>0.05</b>	<b>7.9</b>	<b>0.06</b>	AG Zone
<b>CMR17-102</b>	<b>404.7</b>	<b>414.0</b>	<b>9.3</b>	<b>4.42</b>	<b>1.73</b>	<b>0.27</b>	<b>38.8</b>	<b>0.15</b>	AG Zone
<b>Includes</b>	<b>408.0</b>	<b>412.4</b>	<b>4.4</b>	<b>7.44</b>	<b>2.61</b>	<b>0.34</b>	<b>49.1</b>	<b>0.17</b>	AG Zone
CMR17-104	226.9	347.0	120.1	1.06	0.4	0.04	30.8	0.09	AG Zone
<b>Includes</b>	<b>226.9</b>	<b>235.2</b>	<b>8.3</b>	<b>1.73</b>	<b>0.7</b>	<b>0.04</b>	<b>53.5</b>	<b>0.1</b>	AG Zone
<b>Includes</b>	<b>260.0</b>	<b>266.4</b>	<b>6.4</b>	<b>4.76</b>	<b>1.54</b>	<b>0.12</b>	<b>45.9</b>	<b>0.26</b>	AG Zone
CMR17-104	320.6	347.0	26.4	1	0.25	0.05	48.4	0.11	AG Zone
<b>Includes</b>	<b>320.6</b>	<b>330.1</b>	<b>9.5</b>	<b>0.91</b>	<b>0.49</b>	<b>0.07</b>	<b>87.5</b>	<b>0.13</b>	AG Zone
<b>Includes</b>	<b>326.3</b>	<b>330.1</b>	<b>3.8</b>	<b>1.66</b>	<b>0.76</b>	<b>0.12</b>	<b>132.4</b>	<b>0.2</b>	AG Zone
CMR17-106	249.4	279.0	29.6	3.19	0.1	0.11	25.3	0.12	AG Zone
<b>Includes</b>	<b>254.1</b>	<b>268.4</b>	<b>14.3</b>	<b>3.99</b>	<b>0.12</b>	<b>0.18</b>	<b>42.6</b>	<b>0.18</b>	AG Zone
<b>Includes</b>	<b>254.1</b>	<b>264.0</b>	<b>9.9</b>	<b>4.82</b>	<b>0.13</b>	<b>0.17</b>	<b>24.8</b>	<b>0.15</b>	AG Zone
<b>Includes</b>	<b>267.9</b>	<b>268.4</b>	<b>0.5</b>	<b>0.54</b>	<b>0.06</b>	<b>0.12</b>	<b>549</b>	<b>1.17</b>	AG Zone

Averages are length x density weighted using density data obtained for each sample within a given interval (where density data is available). Length x density averages more accurately represent the metal content of a given interval, and is common practice in reporting on massive sulphide deposits because of the wide range of densities they exhibit. The Company has adopted length x density weighting as standard procedure for this project. For QA/QC and other sample related procedures please visit the Company's technical report entitled, "Palmer VMS Project, Southeast Alaska, Mineral Resource Estimation and Exploration Update" dated March 4, 2010 and available on [www.sedar.com](http://www.sedar.com). Darwin Green, VP Exploration for Constantine Metal Resources Ltd. and a qualified person as defined by Canadian National Instrument 43-101 has reviewed and verified the information within this table